

# Technical Data Sheet Deluxe Cork Floors

## 531 Listo cork parquet

### Cork parquet



Article number(s):	KK01   KK02   KK08   KK51
	KK52   KK53   KK55   KK56
	KK57   KK58   KK74
	KK75   KK76   KK78

Material / Construction	
Construction	Substrate: Comfort solid cork underlay Wear layer: veneer layer decor
Surface treatment	Velvet matt pre-varnished
Connection system	none
Laying options	full adhesive bonding (pre-glued)

# Technical Data Sheet

## Deluxe Cork Floors

### 531 Listo cork parquet

Dimensions and tolerances in accordance with EN 14085. Dimensional characteristics and permitted dimensional deviations, which have been determined in the factory, have been given in accordance with the standard for loose lay floor panels.

#### Dimensions of the individual element

Dimension	Tolerances
Thickness: 4.0 mm	
Length: 600.0 mm / 900.0 mm	
Width: 300.0 mm	
Permitted width deviation of the top layer	$\leq \pm 0.10\%$ max. 0.5 mm
Permitted deviation of the squareness	$\leq 0.2$ mm
Permitted length deviation of the top layer	$\leq \pm 0.10\%$ max. 2.0 mm
Permitted deviation of the element thickness	$\leq \pm 0.30$ mm
Vertical offset (lipping)	$\leq 0.20$ mm
Joint opening between joined elements	$\leq 0.20$ mm
Straightness of the surface layer	$\leq 0.30$ mm
Flatness of the element (concave / convex width (cup))	$\leq 0.10\%$ / $\leq 0.15\%$
Flatness of the element (concave / convex length (bow))	$\leq 0.50\%$ / $\leq 1.0\%$

#### Product characteristic

Use class	23 / 31 (after final varnishing)
Reaction to fire	C <sub>fl</sub> s1
Impact sound insulation	21 dB ( $\Delta$ L <sub>w</sub> )
Weight per unit area	1800 g/m <sup>2</sup> ( $\pm 10\%$ )
Effect of a furniture leg	no visible change
Effect of a castor chair	no visible change with chair castor type W
Residual indentation	$\leq 0.40$ mm
Electrostatic behaviour	not antistatic
Formaldehyde emission	E1
Thermal resistance	$\leq 0.15$ (m <sup>2</sup> x K)/W suitable for hot water underfloor heating
Pentachlorophenol (PCP) content	PCP free
Slip resistance	DS

# Technical Data Sheet

## Deluxe Cork Floors

### 531 Listo cork parquet

#### Packaging

Contents (area) per pack	1.98 m <sup>2</sup>
Contents per pallet	237.60 m <sup>2</sup>
Number of elements per pack	11
Packs per pallet	120

#### General product data

Declaration of performance	PAR1801602
----------------------------	------------

#### Note

Cork is a natural product and its colour and texture can therefore differ. Samples, brochures and photos are therefore only approximate and are not binding. The action of sunlight also influences the natural change in colour. As a result, the product at the time of delivery can have clear differences to the sample provided.

